

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8

Revision date 2015-11-11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Elsan Double Blue ant-bacterial toilet fluid
Other means of identification	+DBLU400; +DBLU01; +DBLU02
Product code	TF-24

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC8] Biocidal products (e.g. Disinfectants, pest control);
-------------	--------------------------------------------------------------------------------------------------------------------------------------

#### 1.3. Details of the supplier of the safety data sheet

Company	Elsan Limited
Address	Bellbrook Park, Uckfield, East Sussex TN22 1QF, England
Web	www.elsan.co.uk
Telephone	+44 (0) 1825 748200
Fax	+44 (0) 1825 761212
Email	sales@elsan.co.uk
Email address of the competent person	sales@elsan.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	+44 (0) 1825 748200 9.00 am - 5.00 pm Mon - Fri
----------------------------	----------------------------------------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43 Symbols: T: Toxic.
Main hazards	Toxic by inhalation, in contact with skin and if swallowed. Causes burns. Limited evidence of a carcinogenic effect. May cause sensitisation by skin contact.
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302+H312; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H335; Muta. 2: H341; Carc. 1B: H350;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8

Revision date 2015-11-11

## 2.2. Label elements

<b>Precautionary Statement:</b> <b>Prevention</b>  <b>Precautionary Statement:</b> <b>Response</b>  <b>Precautionary Statement:</b> <b>Storage</b> <b>Precautionary Statement:</b> <b>Disposal</b>	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation. Muta. 2: H341 - Suspected of causing genetic defects . Carc. 1B: H350 - May cause cancer .
	P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ physician /if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water/ soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  P501 - Dispose of contents/container to accordance with local requirements on waste disposal

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		20 - 30%	Carc. Cat. 3; R40 T; R23/24/25 C; R34 R43	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	F; R11 T; R23/24/25-39/23/24/25	
C12-15 Pareth-11		68131-39-5	500-195-7		1 - 10%	Xn; R22 Xi; R41	
Coumarin		91-64-5	202-086-7		0 - 0.1%	Xn; R22 Xi; R43	
Limonene	601-029-00-7	138-86-3	205-341-0		0 - 0.1%	R10 Xi; R38 R43 N; R50/53	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Formaldehyde...% (Formaldehyde)	605-001-00-5	50-00-0	200-001-8		20 - 30%	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H331; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317;	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H301; STOT SE 1: H370;	
C12-15 Pareth-11		68131-39-5	500-195-7		1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
Coumarin		91-64-5	202-086-7		0 - 0.1%	Acute Tox. 4: H302; Skin Sens. 1: H317;	
Limonene	601-029-00-7	138-86-3	205-341-0		0 - 0.1%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
-------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8

Revision date 2015-11-11

## 4.1. Description of first aid measures

Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Carbon oxides.
--	----------------

## 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---------------------------------------------------------

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	-----------------------------------------------------

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--------------------------------------------------------------------------------------

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	-------------------------------------------------------------------------

## 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--------------------------------------------------------------------------------------------------------------------

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters


## 8.1.1. Exposure Limit Values

Formaldehyde...% (Formaldehyde)	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit ppm: 2	WEL 15 min limit mg/m3: 2.5
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8  
Revision date 2015-11-11

## 8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear:.. Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Characteristic
Odour threshold	No data available
pH	7 - 8
Melting point	Not applicable.
Freezing Point	No data available
Initial boiling point	No data available
Flash point	Not applicable.
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	Not applicable.
Relative density	1.072 - 1.076 (H <sub>2</sub> O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	30 sec. 4 mm (ISO 2431)
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Miscible in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	Not applicable.

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8

Revision date 2015-11-11

## 11.1. Information on toxicological effects

Acute toxicity	May cause sensitisation by skin contact.
----------------	------------------------------------------

## 11.1.4. Toxicological Information

C12-15 Pareth-11	Oral Rat LD50: 556	Dermal Rabbit LD50: >2000
Formaldehyde...%	Dermal Rat LD50: 674.2 Inhalation Rat LC50/4 h: 128.2	Oral Rat LD50: 460
Methanol	Oral Rat LD50: 1187	Dermal Rabbit LD50: 17100

## SECTION 12: Ecological information

## 12.1. Toxicity

C12-15 Pareth-11	Daphnia EC50/48h: 5.0000 mg/l	Fish LC50/96h: 5.0000 mg/l
Formaldehyde...%	Daphnia EC50/48h: 5.8000 mg/l Fish LC50/96h: 6.7000 mg/l	Algae IC50/72h: 4.8900 mg/l
Methanol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 15400.0000 mg/l

## 12.3. Bioaccumulative potential

## Partition coefficient

	Elsan Double Blue ant-bacterial toilet fluid No data available
--	----------------------------------------------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	-------------------------------------------------------------------

## SECTION 14: Transport information

## 14.1. UN number

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.4. Packing group

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## Further information

	The product is not classified as dangerous for carriage.
--	----------------------------------------------------------

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No
-------------	-----------------------------------------------------------------------------------

## Elsan Double Blue ant-bacterial toilet fluid

Revision 8

Revision date 2015-11-11

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in regulation (EC) No. 648/2004 on detergents.

## SECTION 16: Other information

## Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <p>2 - 2.1.2. Classification - EC 1272/2008.</p> <p>2 - Signal Word.</p> <p>2 - Precautionary Statement: Prevention.</p> <p>2 - Precautionary Statement: Response.</p> <p>2 - Precautionary Statement: Storage.</p> <p>2 - Precautionary Statement: Disposal.</p>
Text of risk phrases in Section 3	<p>R10 - Flammable</p> <p>R11 - Highly flammable.</p> <p>R22 - Harmful if swallowed.</p> <p>R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.</p> <p>R34 - Causes burns.</p> <p>R38 - Irritating to skin.</p> <p>R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.</p> <p>R40 - Limited evidence of a carcinogenic effect.</p> <p>R41 - Risk of serious damage to eyes.</p> <p>R43 - May cause sensitisation by skin contact.</p> <p>R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p> <p>Acute Tox. 3: H301 - Toxic if swallowed.</p> <p>Acute Tox. 3: H311 - Toxic in contact with skin.</p> <p>Acute Tox. 3: H331 - Toxic if inhaled.</p> <p>STOT SE 1: H370 - Causes damage to organs .</p> <p>STOT SE 2: H371 - May cause damage to organs .</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p>

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.