

*SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006***Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Version 3.1

Print Date 2014/08/30

Revision date / valid from 2014/08/30

**MSDS code: MCAC100****Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill  
Substance name : calcium chloride  
Index-No. : 017-013-00-2  
CAS-No. : 10043-52-4  
EC-No. : 233-140-8  
Registration number : 01-2119494219-28-xxxx

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : At this time we do not yet have information on identified uses. They will be included in this safety data sheet when available.  
Uses advised against : At this moment we have not identified any uses advised against

**1.3. Details of the supplier of the safety data sheet**

Company : **Kilrock Products Ltd**  
**Unit 1B, Alma Road Industrial Estate**  
**Chesham, Bucks, HP5 3HB**  
Telephone : **+44 (0) 1494 793 900**  
Telefax : **+44 (0) 1494 793 400**  
E-mail address : **info@kilrock.co.uk**

**1.4. Emergency telephone number**

Emergency telephone number : **Mr. R. Davis**  
**+44 (0) 7836526420**

**Section 2: Hazards identification****2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

REGULATION (EC) No 1272/2008			
Hazard class	Hazard category	Target Organs	Hazard statements
Serious eye damage/eye irritation	Category 2	---	H319

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

Directive 67/548/EEC or 1999/45/EC	
Hazard symbol / Category of danger	Risk phrases
Irritant (Xi)	R36


For the full text of the R-phrases mentioned in this Section, see Section 16.

**Most important adverse effects**

- Human Health : See section 11 for toxicological information.
- Physical and chemical hazards : See section 9 for physicochemical information.
- Potential environmental effects : See section 12 for environmental information.

**2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

- Hazard symbols : 
- Signal word : Warning
- Hazard statements : H319 Causes serious eye irritation.
- Precautionary statements
- Prevention : P264 Wash hands thoroughly after handling.  
P280 Wear eye protection/ face protection.
- Response : P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Hazardous components which must be listed on the label:**

- calcium chloride

**2.3. Other hazards**

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

For Results of PBT and vPvB assessment see section 12.5.

**Section 3: Composition/information on ingredients**

**3.1. Substances**

Hazardous components	Amount [%]	Classification (REGULATION (EC) No 1272/2008)		Classification (67/548/EEC)
		Hazard class / Hazard category	Hazard statements	
<b>calcium chloride</b>				
Index-No. : 017-013-00-2		Eye Irrit.2	H319	Irritant; Xi; R36
CAS-No. : 10043-52-4				
EC-No. : 233-140-8	>= 77 - <= 100			
Registration : 01-2119494219-28-xxxx				

For the full text of the R-phrases mentioned in this Section, see Section 16.  
 For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section 4: First aid measures**

**4.1. Description of first aid measures**

- General advice : Take off contaminated clothing and shoes immediately.
- If inhaled : Remove to fresh air. If symptoms call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
- In case of eye contact : Consult an eye specialist immediately. Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms : See Section 11 for more detailed information on health effects and symptoms.
- Effects : See Section 11 for more detailed information on health effects and symptoms.

**4.3. Indication of any immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

**Section 5: Firefighting measures**

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

**5.1. Extinguishing media**

- Suitable extinguishing media : The product itself does not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : No information available.

**5.2. Special hazards arising from the substance or mixture**

- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as: Hydrogen chloride gas

**5.3. Advice for firefighters**

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Wear appropriate body protection (full protective suit)
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Use personal protective equipment. Avoid dust formation. Provide adequate ventilation. Avoid contact with skin and eyes. Do not breathe dust.

**6.2. Environmental precautions**

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

**6.3. Methods and materials for containment and cleaning up**

- Methods and materials for containment and cleaning up : Use mechanical handling equipment. Keep in suitable, closed containers for disposal.
- Further information : Treat recovered material as described in the section "Disposal considerations".

**6.4. Reference to other sections**

- See Section 1 for emergency contact information.
- See Section 8 for information on personal protective equipment.
- See Section 13 for waste treatment information.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Advice on safe handling : Keep container tightly closed. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately.

**7.2. Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Store in original container.

Advice on protection against fire and explosion : The product is not flammable. Normal measures for preventive fire protection.

Further information on storage conditions : Keep tightly closed in a dry and cool place. Product is hygroscopic.

Advice on common storage : Keep away from food, drink and animal feedingstuffs. Materials to avoid: Strong oxidizing agents

**7.3. Specific end use(s)**

Specific use(s) : No information available.

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Other Occupational Exposure Limit Values**

(Additional) Information : Contains no substances with occupational exposure limit values.  
Contains no substances with occupational exposure limit values.

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)**

DNEL  
Industrial use, Acute effects, Inhalation : 10 mg/m3

DNEL  
Industrial use, Inhalation : 5 mg/m3  
Long-term exposition

DNEL  
Professional use, Inhalation : 5 mg/m3  
Long-term exposition

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

DNEL		
Professional use, Acute effects, Inhalation	:	10 mg/m <sup>3</sup>
DNEL		
Consumer use, Acute effects, Inhalation	:	5 mg/m <sup>3</sup>
DNEL		
Consumer use, Inhalation	:	2.5 mg/m <sup>3</sup>
Long-term exposition		

**Predicted No Effect Concentration (PNEC)**

Soil and plants	:	150 g/m <sup>2</sup>
<p>A tentative "PNEC", a so-called "no-effect-deposition"(NEdep) was derived for the exposure route for deposition of calcium via road salts or dust suppressors. It should be noted, that although the units refer to exposure via air, this value reflects effects caused by CaCl<sub>2</sub> deposited from air into soil or onto a plants' surface.</p>		
Sensitive terrestrial plants	:	215 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Refer to protective measures listed in sections 7 and 8.

**Personal protective equipment**

*Respiratory protection*

Advice	:	Required if dust is released
		Recommended Filter type:
		Particle filter:P2
		Particle filter:P3

*Hand protection*

Advice	:	Wear suitable gloves.
		Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
		Protective gloves should be replaced at first signs of wear.

Material	:	natural rubber
Break through time	:	>= 8 h
Glove thickness	:	0.5 mm

Material	:	butyl-rubber
Break through time	:	>= 8 h
Glove thickness	:	0.5 mm

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Material : polychloroprene  
Break through time :  $\geq 8$  h  
Glove thickness : 0.5 mm

Material : Nitrile rubber  
Break through time :  $\geq 8$  h  
Glove thickness : 0.35 mm

Material : Fluorinated rubber  
Break through time :  $\geq 8$  h  
Glove thickness : 0.4 mm

Material : Polyvinylchloride  
Break through time :  $\geq 8$  h  
Glove thickness : 0.5 mm

*Eye protection*

Advice : Safety glasses

*Skin and body protection*

Advice : Wear suitable protective clothing.

**Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

**Section 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Form : solid  
Colour : white  
Odour : odourless  
Odour Threshold : no data available  
pH : 9 - 10.5 (100 g/l; 20 °C)  
Melting point/range : 782 °C  
Boiling point/boiling range : 1,600 °C  
Flash point : not applicable  
Evaporation rate : no data available

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	2.15 g/cm <sup>3</sup> (20 °C)
Water solubility	:	745 g/l (20 °C)
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	not applicable
Thermal decomposition	:	no data available
Viscosity, dynamic	:	no data available
Explosivity	:	Product is not explosive.
Oxidizing properties	:	no data available

**9.2. Other information**

Molecular weight	:	110.98 g/mol
Bulk density	:	ca. 1000 kg/m <sup>3</sup>

**Section 10: Stability and reactivity****10.1. Reactivity**

Advice : No decomposition if used as directed.

**10.2. Chemical stability**

Advice : No decomposition if stored and applied as directed.

**10.3. Possibility of hazardous reactions**

Hazardous reactions : No information available.

**10.4. Conditions to avoid**

Conditions to avoid : Water

**10.5. Incompatible materials**



**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Materials to avoid : Alkaline earth metals, Alkali metals

**10.6. Hazardous decomposition products**

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as: Hydrogen chloride gas

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

**Oral**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Inhalation**

Product dust may be irritating to respiratory system. High concentration may cause difficulty in breathing.

**Dermal**

Please find this information in the listing of the component/components below in the MSDS.

**Irritation**

**Skin**

Result : No skin irritation

**Eyes**

Result : Risk of serious damage to eyes.

**Sensitisation**

Result : No sensitizing effect known.

**CMR effects**

**CMR Properties**

Carcinogenicity : Please find this information in the listing of the component/components below in the MSDS.

Mutagenicity : Please find this information in the listing of the component/components below in the MSDS.

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Teratogenicity : Please find this information in the listing of the component/components below in the MSDS.

Reproductive toxicity : Please find this information in the listing of the component/components below in the MSDS.

**Specific Target Organ Toxicity**

**Single exposure**

remark : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Repeated exposure**

remark : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Other toxic properties**

**Aspiration hazard**

No aspiration toxicity classification

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Acute toxicity**

**Oral**

LD50 Oral : 2301 mg/kg (rat) (OECD Test Guideline 401)

**Dermal**

LD50 Dermal : > 5000 mg/kg )

**Irritation**

**Skin**

Result : No skin irritation (rabbit) (OECD Test Guideline 404)

**Eyes**

Result : Irritating to eyes. (rabbit) (OECD Test Guideline 405)

**Sensitisation**

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

Result : The product is not expected to cause hypersensitivity.

**CMR effects**

**CMR Properties**

Mutagenicity : Did not show mutagenic effects in animal experiments.

Teratogenicity : Did not show teratogenic effects in animal experiments.

Reproductive toxicity : No toxicity to reproduction

**Carcinogenicity**

It dissociates into ions that are present physiologically in relatively high levels in vertebrates. Therefore, a study is considered (scientifically) unnecessary.

**Reproductive toxicity**

NOAEL Parent 169 mg/kg  
(rabbit)  
(OECD Test Guideline 414)  
Animal testing did not show any effects on fertility.

**Other toxic properties**

**Repeated dose toxicity**

It dissociates into ions that are present physiologically in relatively high levels in vertebrates. Therefore, a study is considered (scientifically) unnecessary.

**Section 12: Ecological information**

**12.1. Toxicity**

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Acute toxicity**

**Fish**

LC50 : 4630 mg/l (Pimephales promelas (fathead minnow); 96 h)

**Toxicity to daphnia and other aquatic invertebrates**

**Damp Clear 500g Moisture Trap, 2x500g Refill, 5x500g Refill**

LC50 : 2400 mg/l (Daphnia magna; 48 h) (OECD Test Guideline 202)

**algae**

EC50 : 2900 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h)  
(OECD Test Guideline 201)

**Chronic toxicity**

**Fish**

study scientifically unjustified

**Aquatic invertebrates**

study scientifically unjustified

**12.2. Persistence and degradability**

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Persistence and degradability**

**Persistence**

Result : not applicable

**Biodegradability**

Result : The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Bioaccumulation**

Result : Bioaccumulation is not expected.

**12.4. Mobility in soil**

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Mobility**

: no data available

**12.5. Results of PBT and vPvB assessment**

<b>Component:</b>	<b>calcium chloride</b>	<b>CAS-No.</b>
		<b>10043-52-4</b>

**Results of PBT and vPvB assessment**

Result : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

**12.6. Other adverse effects**

**Additional ecological information**

Result : Do not flush into surface water or sanitary sewer system.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains. Contact waste disposal services.

Contaminated packaging : Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

European Waste Catalogue Number : No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

**Section 14: Transport information**

Not dangerous goods for ADR, RID, IMDG and IATA.

**14.1. UN number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

Not applicable.

**14.4. Packaging group**

Not applicable.

**14.5. Environmental hazards**

Not applicable.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

IMDG : Not applicable.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

UK ISR : calcium chloride: Annual reporting level threshold: 10,000 kg  
 Other regulations : Occupational restrictions: Take note of Dir 92/85/EEC on the safety and health of pregnant workers at work and of Dir 94/33/EC on the protection of young people at work.  
 :

**Notification status**

**calcium chloride:**

Regulatory List	Notification	Notification number
AICS	YES	
DSL	YES	
INV (CN)	YES	
ENCS (JP)	YES	(1)-176
ISHL (JP)	YES	(1)-176
TSCA	YES	
EINECS	YES	233-140-8
KECI (KR)	YES	KE-04496
PICCS (PH)	YES	

**15.2. Chemical Safety Assessment**

no data available

